



[www.topaaz.in](http://www.topaaz.in)



# ABOUT COMPANY

Is a Leading Manufacturer and Distributor Of Roll - Formed Building Products, Using Zinc - Aluminium Coated Steel. Our Comprehensive Range of Products Includes Roofing and Cladding Profile Sheets, Purlins, Decking Sheets, Tile Profile Sheets, Polycarbonate Sheets, Puff - panels and Standing Seam Profile.

## MISSION

"To Consistently Provide Cutting - Edge and Forward Thinking Roofing and Purlin Construction Solutions Through Innovation, Excellence and Empowerment"

## VISION


"To Become the Industry Leader in Roofing by Integrating Top - Tier Processes, Practices, Talent, and partnerships."

## OUR PRODUCT FEATURES

Water Proof | Durable Coating | Corrosion Resistant




ROOFING SHEETS




DECKING SHEETS



PURLIN




TOP ZIP 470



STANDING SEAM



POLYCARBONATE




CRIMP SHEET



METAL LOUVER




EAVE GUTTER



PLAIN RIDGE





FLASHING



PUFF PANEL

# ROOFING & CLADDING

TOP CLAD - Roofing and Wall Sheets are Practical, Modern, Light in Weight and Most Importantly Economical. The TOP CLAD Roofing And Wall Sheets Are Suitable For a Wide Variety of Applications.



## Color Palette




## BRANDS

# PURLIN

TOP Purlins And TOP GIRTS are Acknowledged as Being Coherent and Economical Structures Suitable For a Wide Range Of Building Application. TOP Purlins Offers a Full Range of Section Depths Ranging From 300 mm to 80 mm Deep For ' C ' purlin and From 300 mm to 100 mm Deep for ' Z ' Purlin.

## C & Z PURLIN




# DECKING SHEET

TOP DECK Decking Sheet Profile Comes With 935 mm Effective Cover Width, Four Stiffener Rips Symmetrically Spaced ( 203 mm c/c ( +/- 2mm ) Parallel to 54 mm ( +/- 1mm ) Deep Rip. The Decking Sheet Lapping is Achieved by Increased Stability and Load Bearing Capacity.




## TOP DECK - 54 PROFILE



# TOPZIP - 470 STANDING SEAM

A Standing Seam Zip Profile is a Type Of Metal Roofing System Characterized by Raised Seam That Interlock With a Concealed Fastener System. This Profile is Commonly Used in Commercial, Industrial, and residential Building Due to its Durability, Weather Resistance, and Sleek Appearance.



## KEY FEATURES OF STANDING SEAM ZIP PROFILE :


**Seam Height :** Typically Ranges From 75mm , Providing Structural Integrity and Water Resistance

# DECKING SHEET

TOP DECK 935 Decking Sheet Profile Comes With 910 mm Effective Cover Width, Four Stiffener Rips Symmetrically Spaced ( 203 mm c/c ( +/- 2mm ) Parallel to 54 mm ( +/- 1mm ) Deep Rip. The Decking Sheet Lapping is Achieved by Increased Stability and Load Baring Capacity.



## TOP DECK - 54 PROFILE





**HEAD OFFICE :**

62, First Floor, Kurinji Street, Fathima Nagar,  
Valasaravakkam, Chennai - 600087

📞 +91 91764 81283 / +91 91764 81293

✉️ sales@topaaz.in

🌐 www.topaaz.in

**FACTORY :**

3rd Bay, Industrial Fans Complex, Nellikuppam High Road,  
Kayarambedu Village, Guduvancherry - 603202

📞 +91 91764 81267 / +91 91764 81280

✉️ sales@topaaz.in

🌐 www.topaaz.in